

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **ACROBOND® EP 260 Comp A**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations on industrial sites

Application of the substance / the preparation : Adhesives

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ACROM SAS

Zone industrielle des Grands Bois

Rue de l'Europe

49280 LA SEGUINIÈRE

Tel : 02 41 56 08 94

Fax : 02 41 75 73 20

1.4 Emergency telephone number:

France (INRS 24h/24) - Tel : +33 (0)1 45 42 59 59

Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgium - Brüssel: +32 070/245 245

UK : Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647

Swiss Toxicological Information Centre (Zürich) : +41 44 251 51 51 / www.toxi.ch.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 :



GHS09

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Additional information:

When applying the product over a large area, eliminate all sources of ignition, e.g. welders, doorbells, electric stoves, refrigerators, night storage heaters, etc., in a wider area and on lower floors.

storage heaters, in a wider area and on lower floors. Post warning signs warning of the risk of explosion.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 1)

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the C.L.P. regulation.

Hazard pictograms

GHS07 GHS09

Signal word Warning**Hazard-determining components of labelling:**

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)
1,6-bis(2,3-epoxypropoxy)hexane

Reaction product: bisphenol-F-epichlorhydrin: epoxy resins (average molecular weight = 700)

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection / face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

The mixture shall not contain substances listed in accordance with Article 59(1) R.E.A.C.H as having endocrine disrupting properties, or be recognised as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0.1%.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties No further information available

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Preparation: composed of the substances listed below.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC






Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 2)

· Dangerous components:		
CAS: 25068-38-6 NLP: 500-033-5 Index number: 603-074-00-8 Reg.nr.: 01-2119456619-26-XXXX	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	35-<40%
CAS: 16096-31-4 Reg.nr.: 01-2119463471-41-XXXX	1,6-bis(2,3-epoxypropoxy)hexane  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	15-<20%
CAS: 28064-14-4 EC number: 608-164-0	Reaction product: bisphenol-F-epichlorhydrin: epoxy resins (average molecular weight = 700)  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	15-<20%

· **SVHC** Not applicable

· **Additional information:** For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:**

In case of accident or illness immediately consult a doctor (if possible show the label).

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient in a stable laying down side position for transportation.

· **After skin contact:**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed :

Nausea

Coughing

Headache

Breathing difficulty

Dizziness

· 4.3 Indication of any immediate medical attention and special treatment needed :

No further relevant information is available.

OB

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 3)

SECTION 5: Firefighting measures

- **5.1 Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 - **5.2 Special hazards arising from the substance or mixture :**
Formation of toxic gases is possible during heating or in case of fire.
 - **5.3 Advice for firefighters**
 - **Protective equipment:**
Mouth respiratory protective device.
Do not inhale explosion gases or combustion gases.
Use protective suit.
 - **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.
-

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures :**
Ensure adequate ventilation
 - **For non-emergency personnel** No other relevant information available.
 - **For emergency responders** No other relevant information available.
 - **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow the product to enter sewers/ surface water or ground water.
 - **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
 - **6.4 Reference to other sections :**
See Section 7 for information on safe handling.
See Section 8 for information on personal protective equipment.
See Section 13 for disposal information.
-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling :**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Store and load away from food and drink, including animal feed.
Store away from oxidising agents.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 4)

Store away from flammable substances.

- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** : No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any significant quantities of materials with critical values that have to be monitored at the workplace.

• DNELs

CAS: 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Oral	DNEL Public long-term systemic	0.75 mg/kg bw/d
Dermal	DNEL Public long-term systemic	3.571 mg/kg bw/d
	DNEL Worker long-term systemic	8.33 mg/kg bw/d
Inhalative	DNEL Worker long-term systemic	12.25 mg/m ³
	DNEL Worker acute/short-term local effects	12.25 mg/m ³

• PNECs

CAS: 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

PNEC oral food	11 mg/kg
PNEC STP	10 mg/L
PNEC aqua (fresh water)	0.006 mg/L
PNEC aqua (intermittent releases)	0.018 mg/L
PNEC aqua (marine water)	0.006 mg/L
PNEC sediment (fresh water)	0.996 mg/kg
PNEC sediment (marine water)	0.0996 mg/kg
PNEC soil	0.196 mg/kg

• Additional information:

The most current valid lists have been used as a basis for the production of this document.

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from food, beverages and petfood.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** No special measures required.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 5)

· Hand protection



Protective gloves

· **Gloves material** : Butyl rubber, BR

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Liquid
· Form:	Viscous
· Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined.
· Boiling point or initial boiling point and boiling range	Not determined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined.
· pH	Mixture is non-polar/aprotic.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	22000 mPas
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.28 g/cm ³
· Relative density :	Not determined.
· Vapour density :	Not determined.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 6)

· 9.2 Other information :	
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· COV (CH) :	75.50 %
· Change in condition	
· Evaporation rate :	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Not classified as hazardous
· Flammable gases	Not classified as hazardous
· Aerosols	Not classified as hazardous
· Oxidising gases	Not classified as hazardous
· Gases under pressure	Not classified as hazardous
· Flammable liquids	Not classified as hazardous
· Flammable solids	Not classified as hazardous
· Self-reactive substances and mixtures	Not classified as hazardous
· Pyrophoric liquids	Not classified as hazardous
· Pyrophoric solids	Not classified as hazardous
· Self-heating substances and mixtures	Not classified as hazardous
· Substances and mixtures, which emit flammable gases in contact with water	Not classified as hazardous
· Oxidising liquids	Not classified as hazardous
· Oxidising solids	Not classified as hazardous
· Organic peroxides	Not classified as hazardous
· Corrosive to metals	Not classified as hazardous
· Desensitised explosives	Not classified as hazardous

SECTION 10: Stability and reactivity

- 10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability**
- Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions :**
Reacts with acids.
Exothermic polymerisation.
Reacts with alcohols, amines, aqueous acids and alkalis.
Reacts with reducing agents.
- 10.4 Conditions to avoid :** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 7)

- **10.6 Hazardous decomposition products:** Hydrogen chloride (HCl)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

CAS: 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Oral	LD50	19,800 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rat)

- **On the skin:** Causes skin irritation.
- **On the eyes:** Causes serious eye irritation.
- **Respiratory or skin sensitization** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability :** No further relevant information available.
- **12.3 Bioaccumulative potential :** No further relevant information available.
- **12.4 Mobility in soil :** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects :** No further relevant information available.
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 8)



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP4	Irritant - skin irritation and eye damage
HP13	Sensitising
HP14	Ecotoxic

· Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· DOT, ADR, IMDG, IATA UN3082

· 14.2 UN proper shipping name

· ADR UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700), Reaction product: bisphenol-F-epichlorohydrin: epoxy resins (average molecular weight = 700))

· IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC




Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 9)

<p>·</p> <p>· IATA</p>	<p>molecular weight ≤ 700), Reaction product: bisphenol-F-epichlorohydrin: epoxy resins (average molecular weight = 700)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (containing reaction product: bisphenol-A-(epichlorohydrin) epoxy resin (number average molecular weight ≤ 700), Reaction product: bisphenol-F-epichlorohydrin: epoxy resins (average molecular weight = 700))</p>
<p>· 14.3 Transport hazard class(es)</p> <p>· ADR</p> <div data-bbox="183 891 406 1003">  </div> <p>· Class</p> <p>· Label</p>	<p>9 (M6) Miscellaneous dangerous substances and articles.</p> <p>9</p>
<p>· IMDG</p> <div data-bbox="183 1182 406 1294">  </div> <p>· Class</p> <p>· Label</p>	<p>9 Miscellaneous dangerous substances and articles.</p> <p>9</p>
<p>· IATA</p> <div data-bbox="183 1440 295 1552">  </div> <p>· Class</p> <p>· Label</p>	<p>9 Miscellaneous dangerous substances and articles.</p> <p>9</p>
<p>· 14.4 Packing group</p> <p>· ADR, IMDG, IATA</p>	<p>III</p>
<p>· 14.5 Environmental hazards:</p> <p>· Marine pollutant:</p> <p>· Special marking (ADR):</p>	<p>Product contains environmentally hazardous substances: reaction product: bisphenol- A-(epichlorohydrin) epoxy resin (number average molecular weight ≤ 700)</p> <p>Symbol (fish and tree)</p> <p>Symbol (fish and tree)</p>
<p>· 14.6 Special precautions for user</p>	<p>Warning: Miscellaneous dangerous substances and articles.</p>

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 10)

<ul style="list-style-type: none">· Hazard identification number (Kemler code):· EMS Number:· Stowage Category	90 F-A,S-F A
<ul style="list-style-type: none">· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
<ul style="list-style-type: none">· Transport/Additional information:	
<ul style="list-style-type: none">· ADR· Limited quantities (LQ)· Excepted quantities (EQ)· Transport category· Tunnel restriction code	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 (-)
<ul style="list-style-type: none">· IMDG· Limited quantities (LQ)· Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul style="list-style-type: none">· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT ≤ 700), REACTION PRODUCT: BISPHENOL-F-EPICHLOROHYDRIN: EPOXY RESINS (AVERAGE MOLECULAR WEIGHT = 700)), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 12)

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 11)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** E2 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS
--

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification in accordance with Delegated Regulation (EU) 2022/692 of 16 February 2022 adapting to technical and scientific progress GB CLP for the 18th time and amending table 3 of Annex VI part 3 of Regulation (EC) 1272/2008.

Classification in accordance with Delegated Regulation (EU) 2023/1434 of 25 April 2023 adapting to technical and scientific progress for the 19th time GB CLP and amending Annex VI part 1, section 1.1.3 of Regulation (EC) 1272/2008.

Classification in accordance with Delegated Regulation (EU) 2023/1435 of 2 May 2023 adapting to technical and scientific progress for the 20th time GB CLP and amending Annex VI part 3 of Regulation (EC) 1272/2008.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 13)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: ACROBOND® EP 260 Comp A

(Contd. of page 12)

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation
Serious eye damage/irritation
Skin sensitisation
Hazardous to the aquatic environment - long-term
(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 05.05.2021**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

CB
